

## SECTION 15421 - DRAINS

### PART 1 - GENERAL

#### 1.1 RELATED DOCUMENTS

- A. Drawings and general provisions of the Contract, including General and Supplementary Conditions and Division 1 Specification Sections, apply to this Section.

#### 1.2 SUMMARY

- A. This Section includes the following:
  - 1. Floor drains.

#### 1.3 REFERENCES

- A. ANSI A112.21.1 - Floor Drains.

#### 1.4 QUALITY ASSURANCE

- A. For each product specified, provide components by the same manufacturer throughout.

#### 1.5 SUBMITTALS

- A. Submit product data under the provisions of Section 01300. Include component sizes, rough-in requirements, service sizes, and finishes.

### PART 2 - PRODUCTS

#### 2.1 ACCEPTABLE MANUFACTURERS

- A. Floor Drains: Josam, J.R. Smith, or Zurn.
- B. Items of the same function and performance are acceptable if submitted and approved in conformance with Section 01300.

#### 2.2 FLOOR DRAINS

- A. FD-A: Shower Areas

Internal caulk, dura-coated cast iron body, invertible membrane flashing clamp, 7-inch type B strainer bronze. Cast iron P-trap, equal to Zurn ZN-415.

**PART 3 - EXECUTION**

**3.1 PREPARATION**

- A. Coordinate forming of floor construction to receive drains to required invert elevations.

**3.2 INSTALLATION AND APPLICATION**

- A. Install specialties in accordance with manufacturer's instructions to permit intended performance.

**END OF SECTION 15421**